



khumbaya
Desire. Click. Experience

Catalogue for the year 2024

Price valid till 31st May, 2024

Kathmandu

Tanka Prasad Ghumti Sadak, Babar Mahal, Kathmandu

Mobile: +977 9868834366 Mobile: +977 9843822201

Website: <https://khumbaya.com>

Butwal

Milan Chowk, Butwal Rupandehi, Lumbini

Tel. +977-71-549406 Mobile: +977 98570 31168

Website: <https://kapilvastuglassfiber.com>



4 HP AIR COOLING 2 STROKE OUTBOARD MOTOR

SKU: OBM-XW4AIR

1 Engine Model	1E44F-5B
2 Engine Type	Air-cooled, 2-stroke, 1 Cylinder, Gasoline
3 Engine Power (kw/r/min)	1.45kw/6500r/min
4 Engine Displacement (cc)	51.7cc
5 Starting method	Manually Drawing Wound Rope
6 Mixed fuel ratio	30:01:00
7 Control System	Tiller
8 Transmission System and Gear Shift Position	Gear and Clutch Control
9 Transom height	405~430mm
10 Propeller options	3-7 1/4 "*5"
11 G.W/N. Weight (kgs)	12.5/9.7 kgs
12 Engine	2 STROKE
13 Fuel Type	Gasoline
14 Cylinders	2
15 Dimensions (L x W x H) (mm)	95 x 41 x 27.5 cm
16 Single package size	91 x 41 x 27.5 cm
17 Single gross weight	12.500 kg

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 21,200.00

Category: [Outboard Motors](#)



4 HP AIR COOLING 4 STROKE OUTBOARD MOTOR

SKU: OBM-XW4A-4

1 Engine Model	144F
2 Engine Type	Air-cooled, 4-stroke, 1 Cylinder, Gasoline
3 Engine Power (kw/r/min)	1.45kw/7500/min
4 Engine Displacement (cc)	53.2 cc
5 Starting method	Manually Drawing Wound Rope
6 Mixed fuel ratio	NO MIXED OIL, 93# Lead-free gasoline
7 Control System	Tiller
8 Transmission System and Gear Shift Position	Gear and Clutch Control
9 Transom height	405~430mm
10 Propeller options	3-7 1/4 "*5"
11 G.W/N. Weight (KGS)	13.5/12.5 kgs
12 Engine	4 Stroke

13 Fuel Type	Gasoline
14 Cylinders	1
15 Dimensions (L x W x H) (mm)	95 x 41 x 27.5
16 Single package size	95 x 41 x 27.5 cm
17 Single gross weight	13.500 kg

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 37,000.00

Category: [Outboard Motors](#)



4 HP WATER COOLED 2 STROKE OUTBOARD MOTOR

SKU: OBM-XW4WTR

1 Engine Model	1E44F-5C
2 Engine Type	Water-cooled, 2-stroke, 1 Cylinder, Gasoline engine
3 Engine Power (kw/r/min)	1.45kw/6500mm
4 Engine Displacement (cc)	51.7 cc
5 Starting method	Manually Drawing Wound Rope
6 Mixed fuel ratio	30:01:00
7 Control System	Tiller
8 Transmission System and Gear Shift Position	Gear control, Drive-Neutral-Reverse
9 Transom height	400mm
10 Propeller options	3-7 1/4 ""*5"
11 G.W/N. Weight (KGS)	12.5/9.7 kgs
12 Packing Size	95 x 41 x 27.5cm
13 Engine	2 STROKE
14 Engine Capacity	1 - 2 L
15 Fuel Type	Gasoline
16 Cylinders	1
17 Bore x stroke mm(in.)	42x36(1.65x1.42)
18 Ignition system	CDI
19 Starting system	Manual
20 Maximum fuel use L/h	1.4

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 25,000.00

Category: [Outboard Motors](#)



40 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START - POWER TRIM

SKU: OBM-HD40FFEL-T

1	Max. Output (kw)	29.4
2	Full Throttle Operating Range (rpm)	4500-5500
3	Stroke	2
4	Cylinder	2
5	Displacement (cc)	703
6	Bore x Stroke (mm)	80×70
7	Length x Width x Height (mm)	S:1073×402×1218 L:1073×402×1345
8	Length x Width x Height (inch)	S:42.2*15.8*48.0 L:42.2*15.8*53.0
9	Weight (kg)	S:78 L:80
10	Weight (lb)	S:172 L:177
11	Gear Shift Position	F-N-R
12	Ignition System	CDI
13	Cooling System	Water-cooling
14	Starting System	Manual & Electric Starter
15	Control System	Tiller control & Remote control
16	Lubrication System	Gasoline & Machine Oil
17	Regular Gasoline	50:1
18	Capacity of Fuel Tank(L)	24

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 470,000.00

Category: [Outboard Motors](#)



40 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START, POWER TRIM - EFI

SKU: OBM-HDEF40FEL-T

1	Max. Output	40HP (29.4kw)
2	Full Throttle rpm Range (rpm)	5000-6000
3	Stroke	4 Stroke
4	Cylinder	3 Cylinders
5	Type	6 Valves Single Overhead Camshaft
6	Fuel Delivery	Electronic Fuel Injection
7	Displacement (cc)	747
8	Rated power and speed	29.4kW@5500rpm
9	Bore × Stroke (mm)	65×75
10	Gear Ratio	26:13:00
11	Gear Shift	F-N-R

12	Ignition System	ECM
13	Cooling System	Water cooling
14	Starter System	Electric start
15	Control System	Tiller & Remote control
16	Oil Pressure Alarm Sensor	Standard
17	Temperature Alarm Sensor	Standard
18	Shaft Length in.	21 in.25.5 in.
19	Weight (kg)	113kg
20	Weight (lb)	249lb

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 700,000.00

Category: [Outboard Motors](#)

48V - 42AH LITHIUM FERRO PHOSPHATE BATTERY

SKU: W-LITB-4842

Volt: 48

Amp: 42

Power: 2.01 kw for boat application

Weight: 20kg

Size: 520mm x 360mm x 170mm

Warranty: 6 months

IP66 Rated for dust and water protection.

Price: ₹ 129,770.00

Category: [Outboard Motors](#)



khumbaya



48V - 78AH LITHIUM FERRO PHOSPHATE BATTERY

SKU: W-LITB-4878

Volt: 48

Amp: 78

Power: 3.74 kw for boat application

Weight: 41kg

Size: 620mm x 360mm x 170mm

Warranty: 6 months

IP66 Rated for dust and water protection.

Price: ₹ 233,620.00

Category: [Outboard Motors](#)



6 HP AIR COOLED 4 STROKE OUTBOARD MOTOR

SKU: OBM-XW60AC

1 Engine Model	1P70F
2 Engine Type	Air-cooled, 4-stroke engine, 1 Cylinder, Gasoline engine
3 Engine Power (kw/r/min)	3.8kw/3500 mm
4 Engine Displacement (cc)	173 cc
5 Starting method	Manually Drawing Wound Rope
6 Mixed fuel ratio	NO MIXED OIL, 93# Lead-free gasoline
7 Control System	Tiller
8 Transmission System and Gear Shift Position	Gear control, Drive-Neutral-Reverse
9 Transom height	400 mm
10 Propeller options	3-7 1/2 "*5"
11 G.W/N. Weight (KGS)	32/30kgs
12 Packing Size	125 x 42.5 x 60 cm
13 Engine	4 Stroke
14 Fuel Type	Gasoline
15 Cylinders	1

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 65,000.00

Category: [Outboard Motors](#)



6.5 HP AIR COOLED 4 STROKE OUTBOARD MOTOR

SKU: OBM-XW65AC

1 Engine Model	1P70FB
2 Engine Type	Air-cooled, 4-stroke engine, 1 Cylinder, Gasoline engine
3 Engine Power (kw/r/min)	4.0kw/3500 mm
4 Engine Displacement (cc)	196 cc
5 Starting method	Manually Drawing Wound Rope
6 Mixed fuel ratio	NO MIXED OIL, 93# Lead-free gasoline
7 Control System	Tiller
8 Transmission System and Gear Shift Position	Gear control, Drive-Neutral-Reverse
9 Transom height	400 mm
10 Propeller options	3-7 1/2 "*5"
11 G.W/N. Weight (KGS)	32/30kgs
12 Packing Size	125 x 42.5 x 60 cm
13 Engine	4 Stroke
14 Fuel Type	Gasoline
15 Cylinders	1

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 66,000.00

Category: [Outboard Motors](#)



60 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START, POWER TRIM - EFI

SKU: OBM-HDEF60FEL-T

1 Max. Output	60HP (44.1kw)
2 Full Throttle rpm Range (rpm)	5000-6000
3 Stroke	4 Stroke
4 Cylinder	4 Cylinders
5 Type	8 Valves, Single Overhead Camshaft
6 Fuel Delivery	Electronic Fuel Injection
7 Displacement (cc)	996
8 Rated power and speed	44.1kW@5500rpm
9 Bore x Stroke (mm)	65 x 75
10 Gear Ratio	26:13:00
11 Gear Shift	F-N-R
12 Ignition System	ECM
13 Cooling System	Water cooling
14 Starter System	Electric start
15 Control System	Tiller & Remote control

16	Oil Pressure Alarm Sensor	Standard
17	Temperature Alarm Sensor	Standard
18	Shaft Length in.	21 in.25.5 in.
19	Weight (kg)	119kg
20	Weight (lb)	262lb

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 920,000.00

Category: [Outboard Motors](#)



CRUISE 2.0 TL - OUTBOARD MOTOR

SKU: OBM-TQ-2TL

- Improved robustness and improved corrosion protection
- 2,000 W input power, in terms of propulsion is comparable with a 5-hp petrol outboard
- Maximum efficiency outboard
- With tiller control
- Integrated on-board computer with GPS-based range calculation
- 25 mm² cable set (3m) including fuse and main switch
- Emergency magnetic stop key
- Battery cable bridge for lead batteries

Price: ₹ 660,000.00

Category: [Outboard Motors](#)



CRUISE 4.0 TL - OUTBOARD MOTOR

SKU: OBM-TQ-4TL

- Improved robustness and improved corrosion protection
- 4,000 W input power, in terms of propulsion is comparable with an 8-hp petrol outboard
- Maximum efficiency outboard
- With tiller control
- Integrated on-board computer with GPS-based range calculation
- 25 mm² cable set (3m) including fuse and main switch
- Emergency magnetic stop key
- Battery cable bridge for lead batteries
- Fuse and main switch

Price: ₹ 742,000.00

Category: [Outboard Motors](#)



EZ OUTBOARD S10HP ELECTRIC TILLER CONTROL

SKU: OBM-EZ-S10

- Engine Position: Outboard
- Controller: Tiller or Remote
- Rated Voltage: 48VDC
- Electric Propulsion: Zero Air Pollution
- Power: 10HP
- Model No: EZ-S10
- Trademark: Golden Motor
- Maximum Propeller Speed: 2500RPM

Price: ₹ 503,022.00

Category: [Outboard Motors](#)



EZ OUTBOARD S20HP ELECTRIC TILLER CONTROL

SKU: OBM-EZ-S20

- Fuel Type: Electric
- Engine Capacity: 10.5KW
- Engine Position: Outboard
- Motor: HPM10KL
- Control: Tiller or Remote
- Rated Voltage: 48V
- Efficiency: 90%
- Tilting: Manual
- Trademark: Golden Motor
- Comparable Petrol Engine: 15-20HP
- Maximum Propeller Speed: 2800RPM

Price: ₹ 684,343.00

Category: [Outboard Motors](#)

EZoutboard



EZ OUTBOARD S6HP ELECTRIC TILLER CONTROL

SKU: OBM-EZ-S06

- Model No: EZ-S06
- Trademark: Golden Motor
- Tilting: Manual
- Engine Position: Outboard
- Controller: Tiller or Remote
- Rated Voltage: 48VDC
- Electric: Zero Air Pollution
- Power: 6HP

Price: ₹ 404,804.00

Category: [Outboard Motors](#)

EZ OUTBOARD X05 PORTABLE ELECTRIC TROLLING MOTOR


SKU: OBM-EZ-X05

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 3
- Rated Current (A): 65
- Equivalent Power (HP): 5
- Propeller Speed (RPM): 2000
- Thrust Force (lb/pound): 130
- Propeller Sizes (inch): 10 x 7
- Net Weight: 20 kg

Price: ₹ 310,000.00

Category: [Outboard Motors](#)





EZ OUTBOARD X10 PORTABLE ELECTRIC TROLLING MOTOR

SKU: OBM-EZ-X10

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 6.5
- Rated Current (A): 138
- Equivalent Power (HP): 10
- Propeller Speed (RPM): 2600
- Thrust Force (lb/pound): 185
- Propeller Size (inch): 10 x 7
- Net Weight: 24 kg

Price: ₹ 420,000.00

Category: [Outboard Motors](#)



EZ OUTBOARD X20 PORTABLE ELECTRIC TROLLING MOTOR

SKU: OBM-EZ-X20

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 11.5
- Rated Current (A): 240
- Equivalent Power (HP): 20
- Propeller Speed (RPM): 2400
- Thrust Force (lb/pound): 225
- Propeller Size (inch): 10 x 10
- Net Weight: 29 kg

Price: ₹ 625,000.00

Category: [Outboard Motors](#)



TOHATSU 60 HP EFI OBM

SKU: N/A

- Low oil pressure warning (visual and audible)
- Overheat warning (visual and audible)
- Battery voltage warning (visual only)
- Start-in-gear protection for safer engine starting
- Safety lanyard (an essential protection feature standard on all Tohatsu outboards)
- Over-rev. limiter

Price: ₹ 1,050,000.00

Categories: [Outboard Motors](#), [Water Sports](#)

khumbaya

Best of the Experience

INDEX

4 HP air cooling 2 stroke outboard motor	2
4 HP air cooling 4 stroke outboard motor	2
4 HP water cooled 2 stroke outboard motor	3
40 HP, Remote Control, Long Shaft, Electric Start - Power trim	4
40 HP, Remote Control, Long Shaft, Electric Start, Power Trim - EFI	4
48v - 42Ah Lithium Ferro Phosphate Battery	5
48v - 78Ah Lithium Ferro Phosphate Battery	6
6 HP air cooled 4 stroke outboard motor	6
6.5 HP air cooled 4 stroke outboard motor	7
60 HP, Remote Control, Long Shaft, Electric Start, Power Trim - EFI	7
Cruise 2.0 TL - Outboard Motor	8
Cruise 4.0 TL - Outboard Motor	8
EZ Outboard S10HP Electric Tiller Control	9
EZ Outboard S20HP Electric Tiller Control	9
EZ Outboard S6HP Electric Tiller Control	10
EZ Outboard X05 Portable Electric Trolling Motor	10
EZ Outboard X10 Portable Electric Trolling Motor	11
EZ Outboard X20 Portable Electric Trolling Motor	11
Tohatsu 60 HP EFI OBM	12

khumbaya

click . desire . experience