



khumbaya
Desire. Click. Experience

Catalogue for the year 2024

Price valid till 31st May, 2024

Kathmandu

Tanka Prasad Ghumti Sadak, Babar Mahal, Kathmandu

Mobile: +977 9868834366 Mobile: +977 9843822201

Website: <https://khumbaya.com>

Butwal

Milan Chowk, Butwal Rupandehi, Lumbini

Tel. +977-71-549406 Mobile: +977 98570 31168

Website: <https://kapilvastuglassfiber.com>



4 HP AIR COOLING 2 STROKE OUTBOARD MOTOR

SKU: OBM-XW4AIR

| | |
|---|--|
| 1 Engine Model | 1E44F-5B |
| 2 Engine Type | Air-cooled, 2-stroke, 1 Cylinder, Gasoline |
| 3 Engine Power (kw/r/min) | 1.45kw/6500r/min |
| 4 Engine Displacement (cc) | 51.7cc |
| 5 Starting method | Manually Drawing Wound Rope |
| 6 Mixed fuel ratio | 30:01:00 |
| 7 Control System | Tiller |
| 8 Transmission System and Gear Shift Position | Gear and Clutch Control |
| 9 Transom height | 405~430mm |
| 10 Propeller options | 3-7 1/4 "*5" |
| 11 G.W/N. Weight (kgs) | 12.5/9.7 kgs |
| 12 Engine | 2 STROKE |
| 13 Fuel Type | Gasoline |
| 14 Cylinders | 2 |
| 15 Dimensions (L x W x H) (mm) | 95 x 41 x 27.5 cm |
| 16 Single package size | 91 x 41 x 27.5 cm |
| 17 Single gross weight | 12.500 kg |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 21,200.00

Category: [Outboard Motors](#)



4 HP AIR COOLING 4 STROKE OUTBOARD MOTOR

SKU: OBM-XW4A-4

| | |
|---|--|
| 1 Engine Model | 144F |
| 2 Engine Type | Air-cooled, 4-stroke, 1 Cylinder, Gasoline |
| 3 Engine Power (kw/r/min) | 1.45kw/7500/min |
| 4 Engine Displacement (cc) | 53.2 cc |
| 5 Starting method | Manually Drawing Wound Rope |
| 6 Mixed fuel ratio | NO MIXED OIL, 93# Lead-free gasoline |
| 7 Control System | Tiller |
| 8 Transmission System and Gear Shift Position | Gear and Clutch Control |
| 9 Transom height | 405~430mm |
| 10 Propeller options | 3-7 1/4 "*5" |
| 11 G.W/N. Weight (KGS) | 13.5/12.5 kgs |
| 12 Engine | 4 Stroke |

| | |
|--------------------------------|-------------------|
| 13 Fuel Type | Gasoline |
| 14 Cylinders | 1 |
| 15 Dimensions (L x W x H) (mm) | 95 x 41 x 27.5 |
| 16 Single package size | 95 x 41 x 27.5 cm |
| 17 Single gross weight | 13.500 kg |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 37,000.00

Category: [Outboard Motors](#)



4 HP WATER COOLED 2 STROKE OUTBOARD MOTOR

SKU: OBM-XW4WTR

| | |
|---|---|
| 1 Engine Model | 1E44F-5C |
| 2 Engine Type | Water-cooled, 2-stroke, 1 Cylinder, Gasoline engine |
| 3 Engine Power (kw/r/min) | 1.45kw/6500mm |
| 4 Engine Displacement (cc) | 51.7 cc |
| 5 Starting method | Manually Drawing Wound Rope |
| 6 Mixed fuel ratio | 30:01:00 |
| 7 Control System | Tiller |
| 8 Transmission System and Gear Shift Position | Gear control, Drive-Neutral-Reverse |
| 9 Transom height | 400mm |
| 10 Propeller options | 3-7 1/4 ""*5" |
| 11 G.W/N. Weight (KGS) | 12.5/9.7 kgs |
| 12 Packing Size | 95 x 41 x 27.5cm |
| 13 Engine | 2 STROKE |
| 14 Engine Capacity | 1 - 2 L |
| 15 Fuel Type | Gasoline |
| 16 Cylinders | 1 |
| 17 Bore x stroke mm(in.) | 42x36(1.65x1.42) |
| 18 Ignition system | CDI |
| 19 Starting system | Manual |
| 20 Maximum fuel use L/h | 1.4 |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 25,000.00

Category: [Outboard Motors](#)



40 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START - POWER TRIM

SKU: OBM-HD40FFEL-T

| | | |
|----|-------------------------------------|--------------------------------------|
| 1 | Max. Output (kw) | 29.4 |
| 2 | Full Throttle Operating Range (rpm) | 4500-5500 |
| 3 | Stroke | 2 |
| 4 | Cylinder | 2 |
| 5 | Displacement (cc) | 703 |
| 6 | Bore x Stroke (mm) | 80×70 |
| 7 | Length x Width x Height (mm) | S:1073×402×1218 L:1073×402×1345 |
| 8 | Length x Width x Height (inch) | S:42.2*15.8*48.0 L:42.2*15.8*53.0 |
| 9 | Weight (kg) | S:78 L:80 |
| 10 | Weight (lb) | S:172 L:177 |
| 11 | Gear Shift Position | F-N-R |
| 12 | Ignition System | CDI |
| 13 | Cooling System | Water-cooling |
| 14 | Starting System | Manual & Electric Starter |
| 15 | Control System | Tiller control & Remote control |
| 16 | Lubrication System | Gasoline & Machine Oil |
| 17 | Regular Gasoline | 50:1 |
| 18 | Capacity of Fuel Tank(L) | 24 |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 470,000.00

Category: [Outboard Motors](#)



40 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START, POWER TRIM - EFI

SKU: OBM-HDEF40FEL-T

| | | |
|----|-------------------------------|-----------------------------------|
| 1 | Max. Output | 40HP (29.4kw) |
| 2 | Full Throttle rpm Range (rpm) | 5000-6000 |
| 3 | Stroke | 4 Stroke |
| 4 | Cylinder | 3 Cylinders |
| 5 | Type | 6 Valves Single Overhead Camshaft |
| 6 | Fuel Delivery | Electronic Fuel Injection |
| 7 | Displacement (cc) | 747 |
| 8 | Rated power and speed | 29.4kW@5500rpm |
| 9 | Bore × Stroke (mm) | 65×75 |
| 10 | Gear Ratio | 26:13:00 |
| 11 | Gear Shift | F-N-R |

| | | |
|----|---------------------------|-------------------------|
| 12 | Ignition System | ECM |
| 13 | Cooling System | Water cooling |
| 14 | Starter System | Electric start |
| 15 | Control System | Tiller & Remote control |
| 16 | Oil Pressure Alarm Sensor | Standard |
| 17 | Temperature Alarm Sensor | Standard |
| 18 | Shaft Length in. | 21 in.25.5 in. |
| 19 | Weight (kg) | 113kg |
| 20 | Weight (lb) | 249lb |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 700,000.00

Category: [Outboard Motors](#)

48V - 42AH LITHIUM FERRO PHOSPHATE BATTERY

SKU: W-LITB-4842

Volt: 48

Amp: 42

Power: 2.01 kw for boat application

Weight: 20kg

Size: 520mm x 360mm x 170mm

Warranty: 6 months

IP66 Rated for dust and water protection.

Price: ₹ 129,770.00

Category: [Outboard Motors](#)



khumbaya



48V - 78AH LITHIUM FERRO PHOSPHATE BATTERY

SKU: W-LITB-4878

Volt: 48

Amp: 78

Power: 3.74 kw for boat application

Weight: 41kg

Size: 620mm x 360mm x 170mm

Warranty: 6 months

IP66 Rated for dust and water protection.

Price: ₹ 233,620.00

Category: [Outboard Motors](#)



6 HP AIR COOLED 4 STROKE OUTBOARD MOTOR

SKU: OBM-XW60AC

| | |
|---|--|
| 1 Engine Model | 1P70F |
| 2 Engine Type | Air-cooled, 4-stroke engine, 1 Cylinder, Gasoline engine |
| 3 Engine Power (kw/r/min) | 3.8kw/3500 mm |
| 4 Engine Displacement (cc) | 173 cc |
| 5 Starting method | Manually Drawing Wound Rope |
| 6 Mixed fuel ratio | NO MIXED OIL, 93# Lead-free gasoline |
| 7 Control System | Tiller |
| 8 Transmission System and Gear Shift Position | Gear control, Drive-Neutral-Reverse |
| 9 Transom height | 400 mm |
| 10 Propeller options | 3-7 1/2 "*5" |
| 11 G.W/N. Weight (KGS) | 32/30kgs |
| 12 Packing Size | 125 x 42.5 x 60 cm |
| 13 Engine | 4 Stroke |
| 14 Fuel Type | Gasoline |
| 15 Cylinders | 1 |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 65,000.00

Category: [Outboard Motors](#)



6.5 HP AIR COOLED 4 STROKE OUTBOARD MOTOR

SKU: OBM-XW65AC

| | |
|---|--|
| 1 Engine Model | 1P70FB |
| 2 Engine Type | Air-cooled, 4-stroke engine, 1 Cylinder, Gasoline engine |
| 3 Engine Power (kw/r/min) | 4.0kw/3500 mm |
| 4 Engine Displacement (cc) | 196 cc |
| 5 Starting method | Manually Drawing Wound Rope |
| 6 Mixed fuel ratio | NO MIXED OIL, 93# Lead-free gasoline |
| 7 Control System | Tiller |
| 8 Transmission System and Gear Shift Position | Gear control, Drive-Neutral-Reverse |
| 9 Transom height | 400 mm |
| 10 Propeller options | 3-7 1/2 "5" |
| 11 G.W/N. Weight (KGS) | 32/30kgs |
| 12 Packing Size | 125 x 42.5 x 60 cm |
| 13 Engine | 4 Stroke |
| 14 Fuel Type | Gasoline |
| 15 Cylinders | 1 |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 66,000.00

Category: [Outboard Motors](#)



60 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START, POWER TRIM - EFI

SKU: OBM-HDEF60FEL-T

| | |
|---------------------------------|------------------------------------|
| 1 Max. Output | 60HP (44.1kw) |
| 2 Full Throttle rpm Range (rpm) | 5000-6000 |
| 3 Stroke | 4 Stroke |
| 4 Cylinder | 4 Cylinders |
| 5 Type | 8 Valves, Single Overhead Camshaft |
| 6 Fuel Delivery | Electronic Fuel Injection |
| 7 Displacement (cc) | 996 |
| 8 Rated power and speed | 44.1kW@5500rpm |
| 9 Bore x Stroke (mm) | 65 x 75 |
| 10 Gear Ratio | 26:13:00 |
| 11 Gear Shift | F-N-R |
| 12 Ignition System | ECM |
| 13 Cooling System | Water cooling |
| 14 Starter System | Electric start |
| 15 Control System | Tiller & Remote control |

| | | |
|----|---------------------------|----------------|
| 16 | Oil Pressure Alarm Sensor | Standard |
| 17 | Temperature Alarm Sensor | Standard |
| 18 | Shaft Length in. | 21 in.25.5 in. |
| 19 | Weight (kg) | 119kg |
| 20 | Weight (lb) | 262lb |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

Price: ₹ 920,000.00

Category: [Outboard Motors](#)



CRUISE 2.0 TL - OUTBOARD MOTOR

SKU: OBM-TQ-2TL

- Improved robustness and improved corrosion protection
- 2,000 W input power, in terms of propulsion is comparable with a 5-hp petrol outboard
- Maximum efficiency outboard
- With tiller control
- Integrated on-board computer with GPS-based range calculation
- 25 mm² cable set (3m) including fuse and main switch
- Emergency magnetic stop key
- Battery cable bridge for lead batteries

Price: ₹ 660,000.00

Category: [Outboard Motors](#)



CRUISE 4.0 TL - OUTBOARD MOTOR

SKU: OBM-TQ-4TL

- Improved robustness and improved corrosion protection
- 4,000 W input power, in terms of propulsion is comparable with an 8-hp petrol outboard
- Maximum efficiency outboard
- With tiller control
- Integrated on-board computer with GPS-based range calculation
- 25 mm² cable set (3m) including fuse and main switch
- Emergency magnetic stop key
- Battery cable bridge for lead batteries
- Fuse and main switch

Price: ₹ 742,000.00

Category: [Outboard Motors](#)



EZ OUTBOARD S10HP ELECTRIC TILLER CONTROL

SKU: OBM-EZ-S10

- Engine Position: Outboard
- Controller: Tiller or Remote
- Rated Voltage: 48VDC
- Electric Propulsion: Zero Air Pollution
- Power: 10HP
- Model No: EZ-S10
- Trademark: Golden Motor
- Maximum Propeller Speed: 2500RPM

Price: ₹ 503,022.00

Category: [Outboard Motors](#)

EZ outboard



EZ OUTBOARD S20HP ELECTRIC TILLER CONTROL

SKU: OBM-EZ-S20

- Fuel Type: Electric
- Engine Capacity: 10.5KW
- Engine Position: Outboard
- Motor: HPM10KL
- Control: Tiller or Remote
- Rated Voltage: 48V
- Efficiency: 90%
- Tilting: Manual
- Trademark: Golden Motor
- Comparable Petrol Engine: 15-20HP
- Maximum Propeller Speed: 2800RPM

Price: ₹ 684,343.00

Category: [Outboard Motors](#)

EZoutboard



EZ OUTBOARD S6HP ELECTRIC TILLER CONTROL

SKU: OBM-EZ-S06

- Model No: EZ-S06
- Trademark: Golden Motor
- Tilting: Manual
- Engine Position: Outboard
- Controller: Tiller or Remote
- Rated Voltage: 48VDC
- Electric: Zero Air Pollution
- Power: 6HP

Price: ₹ 404,804.00

Category: [Outboard Motors](#)

EZ OUTBOARD X05 PORTABLE ELECTRIC TROLLING MOTOR


SKU: OBM-EZ-X05

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 3
- Rated Current (A): 65
- Equivalent Power (HP): 5
- Propeller Speed (RPM): 2000
- Thrust Force (lb/pound): 130
- Propeller Sizes (inch): 10 x 7
- Net Weight: 20 kg

Price: ₹ 310,000.00

Category: [Outboard Motors](#)





EZ OUTBOARD X10 PORTABLE ELECTRIC TROLLING MOTOR

SKU: OBM-EZ-X10

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 6.5
- Rated Current (A): 138
- Equivalent Power (HP): 10
- Propeller Speed (RPM): 2600
- Thrust Force (lb/pound): 185
- Propeller Size (inch): 10 x 7
- Net Weight: 24 kg

Price: ₹ 420,000.00

Category: [Outboard Motors](#)



EZ OUTBOARD X20 PORTABLE ELECTRIC TROLLING MOTOR

SKU: OBM-EZ-X20

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 11.5
- Rated Current (A): 240
- Equivalent Power (HP): 20
- Propeller Speed (RPM): 2400
- Thrust Force (lb/pound): 225
- Propeller Size (inch): 10 x 10
- Net Weight: 29 kg

Price: ₹ 625,000.00

Category: [Outboard Motors](#)



TOHATSU 60 HP EFI OBM

SKU: N/A

- Low oil pressure warning (visual and audible)
- Overheat warning (visual and audible)
- Battery voltage warning (visual only)
- Start-in-gear protection for safer engine starting
- Safety lanyard (an essential protection feature standard on all Tohatsu outboards)
- Over-rev. limiter

Price: ₹ 1,050,000.00

Categories: [Outboard Motors](#), [Water Sports](#)

khumbaya

Best of the Experience

INDEX

| | |
|---|----|
| 4 HP air cooling 2 stroke outboard motor | 2 |
| 4 HP air cooling 4 stroke outboard motor | 2 |
| 4 HP water cooled 2 stroke outboard motor | 3 |
| 40 HP, Remote Control, Long Shaft, Electric Start - Power trim | 4 |
| 40 HP, Remote Control, Long Shaft, Electric Start, Power Trim - EFI | 4 |
| 48v - 42Ah Lithium Ferro Phosphate Battery | 5 |
| 48v - 78Ah Lithium Ferro Phosphate Battery | 6 |
| 6 HP air cooled 4 stroke outboard motor | 6 |
| 6.5 HP air cooled 4 stroke outboard motor | 7 |
| 60 HP, Remote Control, Long Shaft, Electric Start, Power Trim - EFI | 7 |
| Cruise 2.0 TL - Outboard Motor | 8 |
| Cruise 4.0 TL - Outboard Motor | 8 |
| EZ Outboard S10HP Electric Tiller Control | 9 |
| EZ Outboard S20HP Electric Tiller Control | 9 |
| EZ Outboard S6HP Electric Tiller Control | 10 |
| EZ Outboard X05 Portable Electric Trolling Motor | 10 |
| EZ Outboard X10 Portable Electric Trolling Motor | 11 |
| EZ Outboard X20 Portable Electric Trolling Motor | 11 |
| Tohatsu 60 HP EFI OBM | 12 |

khumbaya

click . desire . experience