



**khumbaya**  
Desire. Click. Experience

**Catalogue for the year 2024**

**Price valid till 31st May, 2024**

**Kathmandu**

Tanka Prasad Ghumti Sadak, Babar Mahal, Kathmandu

Mobile: +977 9868834366 Mobile: +977 9843822201

Website: <https://khumbaya.com>

**Butwal**

Milan Chowk, Butwal Rupandehi, Lumbini

Tel. +977-71-549406 Mobile: +977 98570 31168

Website: <https://kapilvastuglassfiber.com>



## 60 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START, POWER TRIM - EFI

**SKU:** OBM-HDEF60FEL-T

1	Max. Output	60HP (44.1kw)
2	Full Throttle rmp Range (rpm)	5000-6000
3	Stroke	4 Stroke
4	Cylinder	4 Cylinders
5	Type	8 Valves, Single Overhead Camshaft
6	Fuel Delivery	Electronic Fuel Injection
7	Displacement (cc)	996
8	Rated power and speed	44.1kW@5500rpm
9	Bore x Stroke (mm)	65 x 75
10	Gear Ratio	26:13:00
11	Gear Shift	F-N-R
12	Ignition System	ECM
13	Cooling System	Water cooling
14	Starter System	Electric start
15	Control System	Tiller & Remote control
16	Oil Pressure Alarm Sensor	Standard
17	Temperature Alarm Sensor	Standard
18	Shaft Length in.	21 in.25.5 in.
19	Weight (kg)	119kg
20	Weight (lb)	262lb

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 920,000.00

**Category:** [Outboard Motors](#)

khumbaya



## 48V - 42AH LITHIUM FERRO PHOSPHATE BATTERY

**SKU:** W-LITB-4842

Volt: 48

Amp: 42

Power: 2.01 kw for boat application

Weight: 20kg

Size: 520mm x 360mm x 170mm

Warranty: 6 months

IP66 Rated for dust and water protection.

**Price:** ₹ 129,770.00

**Category:** [Outboard Motors](#)



## 40 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START, POWER TRIM - EFI

**SKU:** OBM-HDEF40FEL-T

1	Max. Output	40HP (29.4kw)
2	Full Throttle rmp Range (rpm)	5000-6000
3	Stroke	4 Stroke
4	Cylinder	3 Cylinders
5	Type	6 ValvesSingle Overhead Camshaft
6	Fuel Delivery	Electronic Fuel Injection
7	Displacement (cc)	747
8	Rated power and speed	29.4kW@5500rpm
9	Bore x Stroke (mm)	65x75
10	Gear Ratio	26:13:00
11	Gear Shift	F-N-R
12	Ignition System	ECM
13	Cooling System	Water cooling
14	Starter System	Electric start
15	Control System	Tiller & Remote control
16	Oil Pressure Alarm Sensor	Standard
17	Temperature Alarm Sensor	Standard
18	Shaft Length in.	21 in.25.5 in.
19	Weight (kg)	113kg
20	Weight (lb)	249lb

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 700,000.00

**Category:** [Outboard Motors](#)

**EZ**outboard



## EZ OUTBOARD S6HP ELECTRIC TILLER CONTROL

**SKU:** OBM-EZ-S06

- Model No: EZ-S06
- Trademark: Golden Motor
- Tilting: Manual
- Engine Position: Outboard
- Controller: Tiller or Remote
- Rated Voltage: 48VDC
- Electric: Zero Air Pollution
- Power: 6HP

**Price:** ₹ 404,804.00

**Category:** [Outboard Motors](#)



## EZ OUTBOARD S10HP ELECTRIC TILLER CONTROL

**SKU:** OBM-EZ-S10

- Engine Position: Outboard
- Controller: Tiller or Remote
- Rated Voltage: 48VDC
- Electric Propulsion: Zero Air Pollution
- Power: 10HP
- Model No: EZ-S10
- Trademark: Golden Motor
- Maximum Propeller Speed: 2500RPM

**Price:** ₹ 503,022.00

**Category:** [Outboard Motors](#)

EZoutboard



## EZ OUTBOARD S20HP ELECTRIC TILLER CONTROL

**SKU:** OBM-EZ-S20

- Fuel Type: Electric
- Engine Capacity: 10.5KW
- Engine Position: Outboard
- Motor: HPM10KL
- Control: Tiller or Remote
- Rated Voltage: 48V
- Efficiency: 90%
- Tilting: Manual
- Trademark: Golden Motor
- Comparable Petrol Engine: 15-20HP
- Maximum Propeller Speed: 2800RPM

**Price:** ₹ 684,343.00

**Category:** [Outboard Motors](#)

## EZ OUTBOARD X05 PORTABLE ELECTRIC TROLLING MOTOR

**SKU:** OBM-EZ-X05


- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 3
- Rated Current (A): 65
- Equivalent Power (HP): 5
- Propeller Speed (RPM): 2000
- Thrust Force (lb/pound): 130
- Propeller Size (inch): 10 x 7
- Net Weight: 20 kg

**Price:** ₹ 310,000.00

**Category:** [Outboard Motors](#)







## EZ OUTBOARD X10 PORTABLE ELECTRIC TROLLING MOTOR

**SKU:** OBM-EZ-X10

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 6.5
- Rated Current (A): 138
- Equivalent Power (HP): 10
- Propeller Speed (RPM): 2600
- Thrust Force (lb/pound): 185
- Propeller Size (inch): 10 x 7
- Net Weight: 24 kg

**Price:** ₹ 420,000.00

**Category:** [Outboard Motors](#)



## 4 HP AIR COOLING 2 STROKE OUTBOARD MOTOR

**SKU:** OBM-XW4AIR

1 Engine Model	1E44F-5B
2 Engine Type	Air-cooled, 2-stroke, 1 Cylinder, Gasoline
3 Engine Power (kw/r/min)	1.45kw/6500r/min
4 Engine Displacement (cc)	51.7cc
5 Starting method	Manually Drawing Wound Rope
6 Mixed fuel ratio	30:01:00
7 Control System	Tiller
8 Transmission System and Gear Shift Position	Gear and Clutch Control
9 Transom height	405~430mm
10 Propeller options	3-7 1/4 " *5"
11 G.W/N. Weight (kgs)	12.5/9.7 kgs
12 Engine	2 STROKE
13 Fuel Type	Gasoline
14 Cylinders	2
15 Dimensions (L x W x H) (mm)	95 x 41 x 27.5 cm
16 Single package size	91 x 41 x 27.5 cm
17 Single gross weight	12.500 kg

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 21,200.00

**Category:** [Outboard Motors](#)



## 4 HP AIR COOLING 4 STROKE OUTBOARD MOTOR

**SKU:** OBM-XW4A-4

1 Engine Model	144F
2 Engine Type	Air-cooled, 4-stroke, 1 Cylinder, Gasoline
3 Engine Power (kw/r/min)	1.45kw/7500/min
4 Engine Displacement (cc)	53.2 cc
5 Starting method	Manually Drawing Wound Rope
6 Mixed fuel ratio	NO MIXED OIL, 93# Lead-free gasoline
7 Control System	Tiller
8 Transmission System and Gear Shift Position	Gear and Clutch Control
9 Transom height	405~430mm
10 Propeller options	3-7 1/4 "5"
11 G.W/N. Weight (KGS)	13.5/12.5 kgs
12 Engine	4 Stroke
13 Fuel Type	Gasoline
14 Cylinders	1
15 Dimensions (L x W x H) (mm)	95 x 41 x 27.5
16 Single package size	95 x 41 x 27.5 cm
17 Single gross weight	13.500 kg

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 37,000.00

**Category:** [Outboard Motors](#)



## CRUISE 2.0 TL - OUTBOARD MOTOR

**SKU:** OBM-TQ-2TL

- Improved robustness and improved corrosion protection
- 2,000 W input power, in terms of propulsion is comparable with a 5-hp petrol outboard
- Maximum efficiency outboard
- With tiller control
- Integrated on-board computer with GPS-based range calculation
- 25 mm<sup>2</sup> cable set (3m) including fuse and main switch
- Emergency magnetic stop key
- Battery cable bridge for lead batteries

**Price:** ₹ 660,000.00

**Category:** [Outboard Motors](#)



## EZ OUTBOARD X20 PORTABLE ELECTRIC TROLLING MOTOR

**SKU:** OBM-EZ-X20

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 11.5
- Rated Current (A): 240
- Equivalent Power (HP): 20
- Propeller Speed (RPM): 2400
- Thrust Force (lb/pound): 225
- Propeller Size (inch): 10 x 10
- Net Weight: 29 kg

**Price:** ₹ 625,000.00

**Category:** [Outboard Motors](#)



## 40 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START - POWER TRIM

**SKU:** OBM-HD40FFEL-T

1	Max. Output (kw)	29.4
2	Full Throttle Operating Range (rpm)	4500-5500
3	Stroke	2
4	Cylinder	2
5	Displacement (cc)	703
6	Bore x Stroke (mm)	80x70
7	Length x Width x Height (mm)	S:1073x402x1218 L:1073x402x1345
8	Length x Width x Height (inch)	S:42.2*15.8*48.0 L:42.2*15.8*53.0
9	Weight (kg)	S:78 L:80
10	Weight (lb)	S:172 L:177
11	Gear Shift Position	F-N-R
12	Ignition System	CDI
13	Cooling System	Water-cooling
14	Starting System	Manual & Electric Starter
15	Control System	Tiller control & Remote control
16	Lubrication System	Gasoline & Machine Oil
17	Regular Gasoline	50:1
18	Capacity of Fuel Tank(L)	24

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation



**Price:** ₹ 470,000.00

**Category:** [Outboard Motors](#)



## 4 HP WATER COOLED 2 STROKE OUTBOARD MOTOR

**SKU:** OBM-XW4WTR

1 Engine Model	1E44F-5C
2 Engine Type	Water-cooled, 2-stroke, 1 Cylinder, Gasoline engine
3 Engine Power (kw/r/min)	1.45kw/6500mm
4 Engine Displacement (cc)	51.7 cc
5 Starting method	Manually Drawing Wound Rope
6 Mixed fuel ratio	30:01:00
7 Control System	Tiller
8 Transmission System and Gear Shift Position	Gear control, Drive-Neutral-Reverse
9 Transom height	400mm
10 Propeller options	3-7 1/4 "5"
11 G.W/N. Weight (KGS)	12.5/9.7 kgs
12 Packing Size	95 x 41 x 27.5cm
13 Engine	2 STROKE
14 Engine Capacity	1 - 2 L
15 Fuel Type	Gasoline
16 Cylinders	1
17 Bore x stroke mm(in.)	42x36(1.65x1.42)
18 Ignition system	CDI
19 Starting system	Manual
20 Maximum fuel use L/h	1.4

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 25,000.00

**Category:** [Outboard Motors](#)



## 6 HP AIR COOLED 4 STROKE OUTBOARD MOTOR

### SKU: OBM-XW60AC

1 Engine Model	1P70F
2 Engine Type	Air-cooled, 4-stroke engine, 1 Cylinder, Gasoline engine
3 Engine Power (kw/r/min)	3.8kw/3500 mm
4 Engine Displacement (cc)	173 cc
5 Starting method	Manually Drawing Wound Rope
6 Mixed fuel ratio	NO MIXED OIL, 93# Lead-free gasoline
7 Control System	Tiller
8 Transmission System and Gear Shift Position	Gear control, Drive-Neutral-Reverse
9 Transom height	400 mm
10 Propeller options	3-7 1/2 "*5"
11 G.W/N. Weight (KGS)	32/30kgs
12 Packing Size	125 x 42.5 x 60 cm
13 Engine	4 Stroke
14 Fuel Type	Gasoline
15 Cylinders	1

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 65,000.00

**Category:** [Outboard Motors](#)



## 6.5 HP AIR COOLED 4 STROKE OUTBOARD MOTOR

### SKU: OBM-XW65AC

1 Engine Model	1P70FB
2 Engine Type	Air-cooled, 4-stroke engine, 1 Cylinder, Gasoline engine
3 Engine Power (kw/r/min)	4.0kw/3500 mm
4 Engine Displacement (cc)	196 cc
5 Starting method	Manually Drawing Wound Rope
6 Mixed fuel ratio	NO MIXED OIL, 93# Lead-free gasoline
7 Control System	Tiller
8 Transmission System and Gear Shift Position	Gear control, Drive-Neutral-Reverse
9 Transom height	400 mm
10 Propeller options	3-7 1/2 "*5"
11 G.W/N. Weight (KGS)	32/30kgs
12 Packing Size	125 x 42.5 x 60 cm
13 Engine	4 Stroke
14 Fuel Type	Gasoline

15 Cylinders

1

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 66,000.00

**Category:** [Outboard Motors](#)



## 48V - 78AH LITHIUM FERRO PHOSPHATE BATTERY

**SKU:** W-LITB-4878

Volt: 48

Amp: 78

Power: 3.74 kw for boat application

Weight: 41kg

Size: 620mm x 360mm x 170mm

Warranty: 6 months

IP66 Rated for dust and water protection.

**Price:** ₹ 233,620.00

**Category:** [Outboard Motors](#)



## TOHATSU 60 HP EFI OBM

**SKU:** N/A

- Low oil pressure warning (visual and audible)
- Overheat warning (visual and audible)
- Battery voltage warning (visual only)
- Start-in-gear protection for safer engine starting
- Safety lanyard (an essential protection feature standard on all Tohatsu outboards)
- Over-rev. limiter

**Price:** ₹ 1,050,000.00

**Categories:** [Outboard Motors](#), [Water Sports](#)



## CRUISE 4.0 TL - OUTBOARD MOTOR

**SKU:** OBM-TQ-4TL

- Improved robustness and improved corrosion protection
- 4,000 W input power, in terms of propulsion is comparable with an 8-hp petrol outboard
- Maximum efficiency outboard
- With tiller control
- Integrated on-board computer with GPS-based range calculation
- 25 mm<sup>2</sup> cable set (3m) including fuse and main switch
- Emergency magnetic stop key
- Battery cable bridge for lead batteries
- Fuse and main switch

**Price:** ₹ 742,000.00

**Category:** [Outboard Motors](#)

khumbaya

click . desire . experience

## INDEX

4 HP air cooling 2 stroke outboard motor	6
4 HP air cooling 4 stroke outboard motor	7
4 HP water cooled 2 stroke outboard motor	9
40 HP, Remote Control, Long Shaft, Electric Start - Power trim	8
40 HP, Remote Control, Long Shaft, Electric Start, Power Trim - EFI	3
48v - 42Ah Lithium Ferro Phosphate Battery	3
48v - 78Ah Lithium Ferro Phosphate Battery	11
6 HP air cooled 4 stroke outboard motor	10
6.5 HP air cooled 4 stroke outboard motor	10
60 HP, Remote Control, Long Shaft, Electric Start, Power Trim - EFI	2
Cruise 2.0 TL - Outboard Motor	7
Cruise 4.0 TL - Outboard Motor	12
EZ Outboard S10HP Electric Tiller Control	4
EZ Outboard S20HP Electric Tiller Control	5
EZ Outboard S6HP Electric Tiller Control	4
EZ Outboard X05 Portable Electric Trolling Motor	5
EZ Outboard X10 Portable Electric Trolling Motor	6
EZ Outboard X20 Portable Electric Trolling Motor	8
Tohatsu 60 HP EFI OBM	11

khumbaya

click . desire . experience