



**khumbaya**  
Desire. Click. Experience

## **Catalogue for the year 2024**

**Price valid till 31st May, 2024**

### **Kathmandu**

Tanka Prasad Ghumti Sadak, Babar Mahal, Kathmandu

Mobile: +977 9868834366 Mobile: +977 9843822201

Website: <https://khumbaya.com>

### **Butwal**

Milan Chowk, Butwal Rupandehi, Lumbini

Tel. +977-71-549406 Mobile: +977 98570 31168

Website: <https://kapilvastuglassfiber.com>



## 4 HP AIR COOLING 2 STROKE OUTBOARD MOTOR

### SKU: OBM-XW4AIR

|   |  |
|---|--|
| 1 Engine Model                                | 1E44F-5B                                   |
| 2 Engine Type                                 | Air-cooled, 2-stroke, 1 Cylinder, Gasoline |
| 3 Engine Power (kw/r/min)                     | 1.45kw/6500r/min                           |
| 4 Engine Displacement (cc)                    | 51.7cc                                     |
| 5 Starting method                             | Manually Drawing Wound Rope                |
| 6 Mixed fuel ratio                            | 30:01:00                                   |
| 7 Control System                              | Tiller                                     |
| 8 Transmission System and Gear Shift Position | Gear and Clutch Control                    |
| 9 Transom height                              | 405~430mm                                  |
| 10 Propeller options                          | 3-7 1/4 "*5"                               |
| 11 G.W/N. Weight (kgs)                        | 12.5/9.7 kgs                               |
| 12 Engine                                     | 2 STROKE                                   |
| 13 Fuel Type                                  | Gasoline                                   |
| 14 Cylinders                                  | 2  |
| 15 Dimensions (L x W x H) (mm)                | 95 x 41 x 27.5 cm                          |
| 16 Single package size                        | 91 x 41 x 27.5 cm                          |
| 17 Single gross weight                        | 12.500 kg                                  |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 21,200.00

**Category:** [Outboard Motors](#)



## 4 HP AIR COOLING 4 STROKE OUTBOARD MOTOR

### SKU: OBM-XW4A-4

|   |  |
|---|--|
| 1 Engine Model                                | 144F                                       |
| 2 Engine Type                                 | Air-cooled, 4-stroke, 1 Cylinder, Gasoline |
| 3 Engine Power (kw/r/min)                     | 1.45kw/7500/min                            |
| 4 Engine Displacement (cc)                    | 53.2 cc                                    |
| 5 Starting method                             | Manually Drawing Wound Rope                |
| 6 Mixed fuel ratio                            | NO MIXED OIL, 93# Lead-free gasoline       |
| 7 Control System                              | Tiller                                     |
| 8 Transmission System and Gear Shift Position | Gear and Clutch Control                    |
| 9 Transom height                              | 405~430mm                                  |
| 10 Propeller options                          | 3-7 1/4 "*5"                               |
| 11 G.W/N. Weight (KGS)                        | 13.5/12.5 kgs                              |
| 12 Engine                                     | 4 Stroke                                   |

|                                |                   |
|--------------------------------|-------------------|
| 13 Fuel Type                   | Gasoline          |
| 14 Cylinders                   | 1                 |
| 15 Dimensions (L x W x H) (mm) | 95 x 41 x 27.5    |
| 16 Single package size         | 95 x 41 x 27.5 cm |
| 17 Single gross weight         | 13.500 kg         |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 37,000.00

**Category:** [Outboard Motors](#)



## 4 HP WATER COOLED 2 STROKE OUTBOARD MOTOR

**SKU:** OBM-XW4WTR

|   |   |
|---|---|
| 1 Engine Model                                | 1E44F-5C  |
| 2 Engine Type                                 | Water-cooled, 2-stroke, 1 Cylinder, Gasoline engine |
| 3 Engine Power (kw/r/min)                     | 1.45kw/6500mm                                       |
| 4 Engine Displacement (cc)                    | 51.7 cc   |
| 5 Starting method                             | Manually Drawing Wound Rope                         |
| 6 Mixed fuel ratio                            | 30:01:00  |
| 7 Control System                              | Tiller  |
| 8 Transmission System and Gear Shift Position | Gear control, Drive-Neutral-Reverse                 |
| 9 Transom height                              | 400mm   |
| 10 Propeller options                          | 3-7 1/4 ""*5"                                       |
| 11 G.W/N. Weight (KGS)                        | 12.5/9.7 kgs  |
| 12 Packing Size                               | 95 x 41 x 27.5cm                                    |
| 13 Engine                                     | 2 STROKE  |
| 14 Engine Capacity                            | 1 - 2 L   |
| 15 Fuel Type                                  | Gasoline  |
| 16 Cylinders                                  | 1   |
| 17 Bore x stroke mm(in.)                      | 42x36(1.65x1.42)                                    |
| 18 Ignition system                            | CDI   |
| 19 Starting system                            | Manual  |
| 20 Maximum fuel use L/h                       | 1.4   |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 25,000.00

**Category:** [Outboard Motors](#)



## 40 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START - POWER TRIM

**SKU:** OBM-HD40FFEL-T

|    |                                     |                                      |
|----|-------------------------------------|--------------------------------------|
| 1  | Max. Output (kw)                    | 29.4                                 |
| 2  | Full Throttle Operating Range (rpm) | 4500-5500                            |
| 3  | Stroke                              | 2                                    |
| 4  | Cylinder                            | 2                                    |
| 5  | Displacement (cc)                   | 703                                  |
| 6  | Bore x Stroke (mm)                  | 80×70                                |
| 7  | Length x Width x Height (mm)        | S:1073×402×1218<br>L:1073×402×1345   |
| 8  | Length x Width x Height (inch)      | S:42.2*15.8*48.0<br>L:42.2*15.8*53.0 |
| 9  | Weight (kg)                         | S:78 L:80                            |
| 10 | Weight (lb)                         | S:172 L:177                          |
| 11 | Gear Shift Position                 | F-N-R                                |
| 12 | Ignition System                     | CDI                                  |
| 13 | Cooling System                      | Water-cooling                        |
| 14 | Starting System                     | Manual & Electric Starter            |
| 15 | Control System                      | Tiller control & Remote control      |
| 16 | Lubrication System                  | Gasoline & Machine Oil               |
| 17 | Regular Gasoline                    | 50:1                                 |
| 18 | Capacity of Fuel Tank(L)            | 24                                   |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 470,000.00

**Category:** [Outboard Motors](#)



## 40 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START, POWER TRIM - EFI

**SKU:** OBM-HDEF40FEL-T

|    |                               |                                   |
|----|-------------------------------|-----------------------------------|
| 1  | Max. Output                   | 40HP (29.4kw)                     |
| 2  | Full Throttle rmp Range (rpm) | 5000-6000                         |
| 3  | Stroke                        | 4 Stroke                          |
| 4  | Cylinder                      | 3 Cylinders                       |
| 5  | Type                          | 6 Valves Single Overhead Camshaft |
| 6  | Fuel Delivery                 | Electronic Fuel Injection         |
| 7  | Displacement (cc)             | 747                               |
| 8  | Rated power and speed         | 29.4kW@5500rpm                    |
| 9  | Bore × Stroke (mm)            | 65×75                             |
| 10 | Gear Ratio                    | 26:13:00                          |
| 11 | Gear Shift                    | F-N-R                             |

|    |                           |                         |
|----|---------------------------|-------------------------|
| 12 | Ignition System           | ECM                     |
| 13 | Cooling System            | Water cooling           |
| 14 | Starter System            | Electric start          |
| 15 | Control System            | Tiller & Remote control |
| 16 | Oil Pressure Alarm Sensor | Standard                |
| 17 | Temperature Alarm Sensor  | Standard                |
| 18 | Shaft Length in.          | 21 in.25.5 in.          |
| 19 | Weight (kg)               | 113kg                   |
| 20 | Weight (lb)               | 249lb                   |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 700,000.00

**Category:** [Outboard Motors](#)

## 48V - 42AH LITHIUM FERRO PHOSPHATE BATTERY

**SKU:** W-LITB-4842

Volt: 48

Amp: 42

Power: 2.01 kw for boat application

Weight: 20kg

Size: 520mm x 360mm x 170mm

Warranty: 6 months

IP66 Rated for dust and water protection.

**Price:** ₹ 129,770.00

**Category:** [Outboard Motors](#)



khumbaya



## 48V - 78AH LITHIUM FERRO PHOSPHATE BATTERY

**SKU:** W-LITB-4878

Volt: 48

Amp: 78

Power: 3.74 kw for boat application

Weight: 41kg

Size: 620mm x 360mm x 170mm

Warranty: 6 months

IP66 Rated for dust and water protection.

**Price:** ₹ 233,620.00

**Category:** [Outboard Motors](#)



## 6 HP AIR COOLED 4 STROKE OUTBOARD MOTOR

**SKU:** OBM-XW60AC

|   |  |
|---|--|
| 1 Engine Model                                | 1P70F  |
| 2 Engine Type                                 | Air-cooled, 4-stroke engine, 1 Cylinder, Gasoline engine |
| 3 Engine Power (kw/r/min)                     | 3.8kw/3500 mm  |
| 4 Engine Displacement (cc)                    | 173 cc   |
| 5 Starting method                             | Manually Drawing Wound Rope                              |
| 6 Mixed fuel ratio                            | NO MIXED OIL, 93# Lead-free gasoline                     |
| 7 Control System                              | Tiller   |
| 8 Transmission System and Gear Shift Position | Gear control, Drive-Neutral-Reverse                      |
| 9 Transom height                              | 400 mm   |
| 10 Propeller options                          | 3-7 1/2 "*5"   |
| 11 G.W/N. Weight (KGS)                        | 32/30kgs   |
| 12 Packing Size                               | 125 x 42.5 x 60 cm                                       |
| 13 Engine                                     | 4 Stroke   |
| 14 Fuel Type                                  | Gasoline   |
| 15 Cylinders                                  | 1  |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 65,000.00

**Category:** [Outboard Motors](#)



## 6.5 HP AIR COOLED 4 STROKE OUTBOARD MOTOR

### SKU: OBM-XW65AC

|   |  |
|---|--|
| 1 Engine Model                                | 1P70FB   |
| 2 Engine Type                                 | Air-cooled, 4-stroke engine, 1 Cylinder, Gasoline engine |
| 3 Engine Power (kw/r/min)                     | 4.0kw/3500 mm  |
| 4 Engine Displacement (cc)                    | 196 cc   |
| 5 Starting method                             | Manually Drawing Wound Rope                              |
| 6 Mixed fuel ratio                            | NO MIXED OIL, 93# Lead-free gasoline                     |
| 7 Control System                              | Tiller   |
| 8 Transmission System and Gear Shift Position | Gear control, Drive-Neutral-Reverse                      |
| 9 Transom height                              | 400 mm   |
| 10 Propeller options                          | 3-7 1/2 "*5"   |
| 11 G.W/N. Weight (KGS)                        | 32/30kgs   |
| 12 Packing Size                               | 125 x 42.5 x 60 cm                                       |
| 13 Engine                                     | 4 Stroke   |
| 14 Fuel Type                                  | Gasoline   |
| 15 Cylinders                                  | 1  |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 66,000.00

**Category:** [Outboard Motors](#)



## 60 HP, REMOTE CONTROL, LONG SHAFT, ELECTRIC START, POWER TRIM - EFI

### SKU: OBM-HDEF60FEL-T

|                                 |                                    |
|---------------------------------|------------------------------------|
| 1 Max. Output                   | 60HP (44.1kw)                      |
| 2 Full Throttle rpm Range (rpm) | 5000-6000                          |
| 3 Stroke                        | 4 Stroke                           |
| 4 Cylinder                      | 4 Cylinders                        |
| 5 Type                          | 8 Valves, Single Overhead Camshaft |
| 6 Fuel Delivery                 | Electronic Fuel Injection          |
| 7 Displacement (cc)             | 996                                |
| 8 Rated power and speed         | 44.1kW@5500rpm                     |
| 9 Bore x Stroke (mm)            | 65 x 75                            |
| 10 Gear Ratio                   | 26:13:00                           |
| 11 Gear Shift                   | F-N-R                              |
| 12 Ignition System              | ECM                                |
| 13 Cooling System               | Water cooling                      |
| 14 Starter System               | Electric start                     |
| 15 Control System               | Tiller & Remote control            |

|    |                           |                |
|----|---------------------------|----------------|
| 16 | Oil Pressure Alarm Sensor | Standard       |
| 17 | Temperature Alarm Sensor  | Standard       |
| 18 | Shaft Length in.          | 21 in.25.5 in. |
| 19 | Weight (kg)               | 119kg          |
| 20 | Weight (lb)               | 262lb          |

- Prices subject to change without prior notification
- Delivery time at least 45 days from date of order confirmation

**Price:** ₹ 920,000.00

**Category:** [Outboard Motors](#)



### CRUISE 2.0 TL - OUTBOARD MOTOR

**SKU:** OBM-TQ-2TL

- Improved robustness and improved corrosion protection
- 2,000 W input power, in terms of propulsion is comparable with a 5-hp petrol outboard
- Maximum efficiency outboard
- With tiller control
- Integrated on-board computer with GPS-based range calculation
- 25 mm<sup>2</sup> cable set (3m) including fuse and main switch
- Emergency magnetic stop key
- Battery cable bridge for lead batteries

**Price:** ₹ 660,000.00

**Category:** [Outboard Motors](#)



### CRUISE 4.0 TL - OUTBOARD MOTOR

**SKU:** OBM-TQ-4TL

- Improved robustness and improved corrosion protection
- 4,000 W input power, in terms of propulsion is comparable with an 8-hp petrol outboard
- Maximum efficiency outboard
- With tiller control
- Integrated on-board computer with GPS-based range calculation
- 25 mm<sup>2</sup> cable set (3m) including fuse and main switch
- Emergency magnetic stop key
- Battery cable bridge for lead batteries
- Fuse and main switch

**Price:** ₹ 742,000.00



**Category:** [Outboard Motors](#)



## EZ OUTBOARD S10HP ELECTRIC TILLER CONTROL

**SKU:** OBM-EZ-S10

- Engine Position: Outboard
- Controller: Tiller or Remote
- Rated Voltage: 48VDC
- Electric Propulsion: Zero Air Pollution
- Power: 10HP
- Model No: EZ-S10
- Trademark: Golden Motor
- Maximum Propeller Speed: 2500RPM

**Price:** ₹ 503,022.00

**Category:** [Outboard Motors](#)



## EZ OUTBOARD S20HP ELECTRIC TILLER CONTROL

**SKU:** OBM-EZ-S20

- Fuel Type: Electric
- Engine Capacity: 10.5KW
- Engine Position: Outboard
- Motor: HPM10KL
- Control: Tiller or Remote
- Rated Voltage: 48V
- Efficiency: 90%
- Tilting: Manual
- Trademark: Golden Motor
- Comparable Petrol Engine: 15-20HP
- Maximum Propeller Speed: 2800RPM

**Price:** ₹ 684,343.00

**Category:** [Outboard Motors](#)

**EZ**outboard



## EZ OUTBOARD S6HP ELECTRIC TILLER CONTROL

**SKU:** OBM-EZ-S06

- Model No: EZ-S06
- Trademark: Golden Motor
- Tilting: Manual
- Engine Position: Outboard
- Controller: Tiller or Remote
- Rated Voltage: 48VDC
- Electric: Zero Air Pollution
- Power: 6HP

**Price:** ₹ 404,804.00

**Category:** [Outboard Motors](#)


## EZ OUTBOARD X05 PORTABLE ELECTRIC TROLLING MOTOR


**SKU:** OBM-EZ-X05

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 3
- Rated Current (A): 65
- Equivalent Power (HP): 5
- Propeller Speed (RPM): 2000
- Thrust Force (lb/pound): 130
- Propeller Size (inch): 10 x 7
- Net Weight: 20 kg

**Price:** ₹ 310,000.00

**Category:** [Outboard Motors](#)





## EZ OUTBOARD X10 PORTABLE ELECTRIC TROLLING MOTOR

**SKU:** OBM-EZ-X10

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 6.5
- Rated Current (A): 138
- Equivalent Power (HP): 10
- Propeller Speed (RPM): 2600
- Thrust Force (lb/pound): 185
- Propeller Size (inch): 10 x 7
- Net Weight: 24 kg

**Price:** ₹ 420,000.00

**Category:** [Outboard Motors](#)



## EZ OUTBOARD X20 PORTABLE ELECTRIC TROLLING MOTOR

**SKU:** OBM-EZ-X20

- Configuration: SERIES: eXtreme
- Voltage (Vdc): 48
- Input Power (KW): 11.5
- Rated Current (A): 240
- Equivalent Power (HP): 20
- Propeller Speed (RPM): 2400
- Thrust Force (lb/pound): 225
- Propeller Size (inch): 10 x 10
- Net Weight: 29 kg

**Price:** ₹ 625,000.00

**Category:** [Outboard Motors](#)



## TOHATSU 60 HP EFI OBM

**SKU:** N/A

- Low oil pressure warning (visual and audible)
- Overheat warning (visual and audible)
- Battery voltage warning (visual only)
- Start-in-gear protection for safer engine starting
- Safety lanyard (an essential protection feature standard on all Tohatsu outboards)
- Over-rev. limiter

**Price:** ₹ 1,050,000.00

**Categories:** [Outboard Motors](#), [Water Sports](#)

khumbaya

Best of the Experience

## INDEX

|   |    |
|---|----|
| 4 HP air cooling 2 stroke outboard motor                            | 2  |
| 4 HP air cooling 4 stroke outboard motor                            | 2  |
| 4 HP water cooled 2 stroke outboard motor                           | 3  |
| 40 HP, Remote Control, Long Shaft, Electric Start - Power trim      | 4  |
| 40 HP, Remote Control, Long Shaft, Electric Start, Power Trim - EFI | 4  |
| 48v - 42Ah Lithium Ferro Phosphate Battery                          | 5  |
| 48v - 78Ah Lithium Ferro Phosphate Battery                          | 6  |
| 6 HP air cooled 4 stroke outboard motor                             | 6  |
| 6.5 HP air cooled 4 stroke outboard motor                           | 7  |
| 60 HP, Remote Control, Long Shaft, Electric Start, Power Trim - EFI | 7  |
| Cruise 2.0 TL - Outboard Motor                                      | 8  |
| Cruise 4.0 TL - Outboard Motor                                      | 8  |
| EZ Outboard S10HP Electric Tiller Control                           | 9  |
| EZ Outboard S20HP Electric Tiller Control                           | 9  |
| EZ Outboard S6HP Electric Tiller Control                            | 10 |
| EZ Outboard X05 Portable Electric Trolling Motor                    | 10 |
| EZ Outboard X10 Portable Electric Trolling Motor                    | 11 |
| EZ Outboard X20 Portable Electric Trolling Motor                    | 11 |
| Tohatsu 60 HP EFI OBM   | 12 |

khumbaya

click . desire . experience